

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS
BEING DEPOSITED WITH THE UNITED STATES POSTAL
SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE
ADDRESSED TO: COMMISSIONER OF PATENTS,
WASHINGTON, D.C. 20231, ON THE DATE INDICATED BELOW.

Lawrence
#21
3.14.01

Edward L. Carver, Jr.
ATTORNEY FOR APPLICANT

March 8, 2001
DATE OF SIGNATURE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants) Group Art Unit: 1743
Edward L Carver, Jr. and)
Steven J. Skiptunas)
on)
APPARATUS AND METHOD) Examiner: L. Alexander
FOR MIXING FLUIDS FOR)
ANALYSIS)
Application Serial No.: 09/198,004)
Filed On: November 23, 1998) (Docket No. 116310.0032)

Dated at Hartford, Connecticut this 8th day of March, 2001

Box AF
Commissioner for Patents
Washington, DC 20231

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Dear Sirs:

In accordance with 37 C.F.R. § 1.56, the references set forth below and listed on the attached form PTO-1449 are being brought to the attention of the Examiner for consideration in connection with the examination of the above-identified patent application. Copies of the cited references are enclosed.

FOREIGN PATENT DOCUMENTS

Document <u>Number</u>	<u>Date</u>	<u>Country</u>	Translation	
			<u>Yes</u>	<u>No</u>
0 107 333	5/2/84	EPO	X	
0 101 161	2/22/84	EPO	X	
89/04961	6/1/89	EPO	X	
91 07 564	10/24/91	Germany		X

OTHER DOCUMENTS

Fisher Scientific Catalog, 1988, pp. 1402-1403.

R. Hallawell et al., "An Evaluation Of The Sysmex NE-8000® Hematology Analyzer", Am. J. Clin. Path., September 1991, Vol. 96, pp. 594-601.

The Henley Group Inc., "The CELLECT™ Hematology Systems from Instrumentation Laboratory", 1986.


B. A. Payne et al., "Evaluation Of The TOA E-5000® Automated Hematology Analyzer", Am. J. Clin. Path., July 1987, Vol. 88, p. 51-57.

These prior art references were cited in the Supplemental Information Disclosure Statement dated 7 February 2000 in this patent application, and are of record in parent application serial no. 09/198,004. However, the Examiner was unable to retrieve the parent file, and therefore requested that we provide the enclosed copies for his consideration.

Accordingly, it is respectfully requested the Examiner indicate consideration of the cited references by returning a copy of the attached form PTO-1449 with initials or other appropriate marks.

No fee is believed to be required. However, if any additional fees are required, or otherwise if necessary to cover any deficiency in fees already paid, authorization is hereby given to charge our Deposit Account No. 50-1631.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Mark D. Giarratana', written over a horizontal line.

Mark D. Giarratana (Reg. No. 32,615)
Attorney for Applicant

PTO Correspondence Address:

CUMMINGS & LOCKWOOD
Granite Square
700 State Street
P.O. Box 1960
New Haven, CT 06509-1960
Phone: (860) 275-6719
Fax: (860) 560-5919

.HrtLib1:358969.1 03/08/01